


FILTER KLEAR



Portable and compact to fit in most areas



Easy installation - runs off standard house air



Easy to view gauges from both sides of unit

Target: Single & Multiple Tank Units



Single Tank Unit



Multiple Tank Unit

FILTER KLEAR

The before and after



Most tanks will clean up in hours



Particulates will be filtered down to .002 microns


FILTER KLEAR

Dirty tanks, pans and dirty lines spell trouble



Dirty tanks usually means lack of maintenance. Filters will need to be changed often and will be costly to the customer. This is not a good fit for Filter Klear.

FILTER KLEAR II



FILTER KLEAR

Fountain Solution Tank

Suggested Pre-Cleaning Prior to Filter Klear Installation

The Filter Klear was created to enhance the performance and success of your current fountain solution reservoir preventive maintenance program, not to replace it.

In order to achieve optimum results, it is suggested that while your reservoir is empty that it be cleaned and wiped of ink and contaminant residue. This can be accomplished with warm water or dampened rag. All water pans should be checked and old filters replaced prior to Filter Klear start up. A flush-out of the recirculating system is suggested using a standard dampener system tank flush. This should be done prior to new filter installs and tank cleaning.

By simply following the above suggestions, the Filter Klear Fountain Filtration System will influence better print quality while extending the life and performance characteristics of your current fountain solution.



271 Essex Street Weymouth MA 02188

Sales: 973.459.0524

Technical: 781.858.2792

Fax: 781.465.6455

Website: www.cmykdistributors.com